

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MAG 1 85W140 6/1QT #830

**Product Code:** MG2284PL

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Gear Oil **Recommended** Not applicable

restrictions:

1.3. Details of the supplier of the safety data sheet

Manufacturer: Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

**Information Phone:** +01 (800) 825-1235 +01 (402) 341-9397

**E-mail:** sds@wd-wpp.com

1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Skin Sensitisation Category 1B

# 2.2. Label elements GHS Hazard Symbols



Signal Word Warning

**Hazard Statements** May cause an allergic skin reaction.

**Precautionary Statements** 

**Prevention** P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Response** P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P321 - Specific treatment (see section 4).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

**Disposal** P501- Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Other hazards

Hazards not otherwise Avoid prolonged or repeated skin contact with used fluid.

classified:

**Unknown acute toxicity (GHS-US)** 

# **SECTION 3: Composition/information on ingredients**

Chemical Name % CAS # GHS Classification Residual oils (petroleum), solvent dewaxed 90 - 99 64742-62-7 Acute Tox. 4; H332

MAG 1 85W140 6/1QT #830

Page 1 of 7

### **SECTION 3: Composition/information on ingredients**

Acute Tox. 3: H331 Petroleum distillates, hydrotreated heavy paraffinic 5 - 10 64742-54-7 Acute Tox. 4: H332 Acute Tox. 3; H331 Polysulfides, di-tert-Bu 1 - 5 68937-96-2 Aquatic Chronic 3; H412 Reaction products of bis(4-methylpentan-2-0.5 - 1.5Aquatic Chronic 2; H411 Confidential yl)dithiophosphoric acid with phosphorus oxide, Acute Tox. 4; H302 propylene oxide and amines, C12-14-alkyl (branched) Eye Dam. 1; H318 Skin Sens. 1; H317

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

**Eyes** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the

head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical

attention and monitor the eye daily as advised by your physician.

**Skin Contact** Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

**Ingestion** Do not induce vomiting and seek medical attention immediately. Provide medical care provider

with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Not determined

4.3. Indication of any immediate medical attention and special treatment needed

**Note to Doctor** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach

contents is necessary, use method least likely to cause aspiration.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable and Unsuitable**Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied

to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

**Fire and/or Explosion** Material may be ignited only if preheated to temperatures above the high flash point, for example in

**Hazards** a fire.

**5.3.** Advice for firefighters

Fire Fighting Methods and Do not enter fire area without proper protection including self- contained breathing apparatus and

**Protection** full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion** Carbon monoxide, Smoke

**Products** 

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

#### **6.2.** Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM\_06GHS\_CLEAN}

#### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

# **Incompatible materials**

See Section 10.

7.3. Specific end use(s)

Gear Oil

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Chemical NameOccupational Exposure LimitsValueOil mist, mineralOSHA PEL5 mg/m3Oil mist, mineralACGIH TLV-TWA5 mg/m3Oil mist, mineralACGIH STEL10 mg/m3

None. IDLH

None. OSHA PEL-Skin Notation

8.2. Exposure controls

**Engineering Measures**Use local exhaust ventilation or other engineering controls to minimize exposures and maintain

operator comfort.

**Respiratory Protection** Respiratory protection may be required to avoid overexposure when handling this product. General

or local exhaust ventilation is the preferred means of protection. Use a respirator if general room

ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s)**None required where adequate ventilation is provided. If airborne concentrations are above the

applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

**Eve Protection** Wear chemically resistant safety glasses with side shields when handling this product. Wear

additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

**Skin Protection** Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.

Wash hands and other exposed areas with mild soap and water before eating, drinking, and when

leaving work.

Gloves Neoprene, Nitrile

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

MAG 1 85W140 6/1QT #830

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical StateLiquidColorAmberOdorNo data

Odor threshold Not determined PH Not determined Not determined Preezing point Not determined Not determined Not determined Not determined Not determined

Flash Point 216 Flash Point Method COC

**Evaporation Rate** Not determined **Upper Flammable/Explosive** Not established

Limit, % in air

Lower Flammable/Explosive Not established

Limit, % in air

Flammability (solid, gas) Not applicable

Vapor pressure <0.20

Vapor Density Not determined

Relative Density 0.89
Solubility in Water Insoluble
Octanol/Water Partition Not determined

Coefficient

**Autoignition Temperature** Not determined **Decomposition Temperature** Not determined

Viscosity(°C) 347.7

9.2. Other information

Volatiles, % by weight 0.000000

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** No data available.

**10.2. Chemical stability** Stable under normal conditions.

**10.3. Possibility of hazardous** Hazardous polymerization will not occur.

reactions

**10.4. Conditions to avoid** Temperatures above the high flash point of this combustible material in combination with sparks,

open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

**10.5. Incompatible materials** Strong oxidizing agents

**10.6. Hazardous** Carbon monoxide, Smoke

decomposition products

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

**Ingestion Toxicity** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

**Skin Contact** This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]).Can

cause minor skin irritation, defatting, and dermatitis.

**Absorption** Likely to be practically non-toxic based on animal data.

**Inhalation Toxicity** No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

**Eye Contact** This material is likely to be non-irritating to eyes based on animal data. Contact with the eyes may

cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is

possible.

Sensitization Non-hazardous under Respiratory Sensitization category. Contains a substance that may cause skin

sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic

or genotoxic.

# **SECTION 11: Toxicological information**

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not

considered a carcinogen by the International Agency for Research on Cancer.

**Reproductive and**No data available to indicate product or any components present at greater than 0.1% may cause

**Developmental Toxicity** birth defects.

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

toxicity-Single exposure

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.

toxicity-Repeated exposure

**Aspiration toxicity** Non-hazardous under Aspiration category.

**Other information** No data available.

#### Agents Classified by IARC Monographs

Not applicable IARC Group 1 Not applicable IARC Group 2A Vinyl acetate IARC Group 2B IARC Group 2B Cumene IARC Group 2B ethylbenzene IARC Group 2B Naphthalene Methyl isobutyl ketone IARC Group 2B IARC Group 2B Ethyl acrylate

#### National Toxicity Program (NTP) Status

Not applicable Known Human Carcinogen

Cumene Reasonably Anticipated To Be A Human Carcinogen Naphthalene Reasonably Anticipated To Be A Human Carcinogen

### **SECTION 12: Ecological information**

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades slowly.

# 12.3. Bioaccumulative potential

Bioconcentration may occur.

### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

# 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

Not determined

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal Methods**

Dispose of by incineration following Federal, State, Local, or Provincial regulations.

Waste Disposal Code(s)

#### Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

# Contaminated packaging:

Recycle containers whenever possible.

MAG 1 85W140 6/1QT #830

# **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

**Description** 

# **SECTION 15: Regulatory information**

**Chemical Inventories** 

**TSCA Status** All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS#	%
None.	CERCLA		
Vinyl acetate	SARA 313	108-05-4	0.001- 0.01
Cumene	SARA 313	98-82-8	0.001- 0.01
ethylbenzene	SARA 313	100-41-4	0.001- 0.01
Naphthalene	SARA 313	91-20-3	<10ppm
Methyl isobutyl ketone	SARA 313	108-10-1	<10ppm
Ethyl acrylate	SARA 313	140-88-5	<10ppm
None.	SARA EHS		11
None.	TSCA 12b		
U.S. State Regulations			
Chamical Name	Dogulation	CAS#	0/

U.S. State Regulations			
Chemical Name	Regulation	CAS#	%
Cumene	California Prop 65-	98-82-8	0.001- 0.01
	Cancer		
ethylbenzene	California Prop 65-	100-41-4	0.001- 0.01
	Cancer		
Naphthalene	California Prop 65-	91-20-3	<10ppm
	Cancer		
ISOBUTYL METHYL KETONE	California Prop 65-	108-10-1	<10ppm
	Cancer		
Ethyl acrylate	California Prop 65-	140-88-5	<10ppm
	Cancer		
Methyl isobutyl ketone (MIBK)	California Prop 65- Dev.	108-10-1	<10ppm
	Toxicity		
None.	California Prop 65-		
	Reprod -fem		
None.	California Prop 65-		
	Reprod-male		
None.	Massachusetts RTK List		
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Rhode Island RTK List		
None.	Minnesota Hazardous		
	Substance List		

<b>HMIS Ratings:</b>		<b>NFPA Ratings:</b>	
Health:	1	Health:	1
Fire:	1	Fire:	1
Reactivity:	0	Reactivity:	0
PPE:	В		

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

### **SECTION 16: Other information**

**Revision Date** 4/2/2015 12:42:31 AM **Supersedes:** 3/27/2015 4:59:01 PM

References ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

**UN: United Nations** 

WHMIS: Workplace Hazardous Materials Information System

**Disclaimer** This safety data sheet and the information it contains is offered to you in good faith as accurate. We

have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission

or recommendation for the use of any product in a manner that might infringe existing patents. No

warranty is made, either expressed or implied.