

# SAFETY DATA SHEET

Revision date 11-Jun-2015

Version 3

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier Product Code

140.0000801

**Product Name** 

SOLID COLOR ACRYLIC SIDING STAIN WHITE BASE

Other means of identification No information available

Recommended use of the chemical and restrictions on use Paint, Coatings

Details of the supplier of the safety data sheet See section 16 for more information

The Valspar Corporation PO Box 1461 Minneapolis, MN 55440

E-mail address

msds@valspar.com

Emergency telephone number United States of America 1-888-345-5732 American Samoa, Guam, Northern Mariana Islands, Puerto Rico, U.S. Virgin Islands 1-800-255-3924

Section 2: HAZARDS IDENTIFICATION

# **Classification**

OSHA Regulatory Status This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

HAZARD STATEMENTS

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Product Code 140.0000801 Page 1/8 AGHS - USA OSHA SDS

#### PREVENTION

Do not handle until all safety precautions have been read and understood.

#### RESPONSE

Get medical advice/attention if you feel unwell.

# Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

# Skin

Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

# Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

# STORAGE

Store in a closed container.

# DISPOSAL

Dispose of contents/containers in accordance with local regulations.

# HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

Not applicable.

# **OTHER HAZARDS**

Not applicable.

**UNKNOWN ACUTE TOXICITY** 0% of the mixture consists of ingredient(s) of unknown toxicity.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	weight-%
Titanium dioxide	13463-67-7	10 - 25

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# Section 4: FIRST AID MEASURES

# First Aid Measures

#### General advice

Get medical advice/attention if you feel unwell.

# Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## **Skin Contact**

Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

# Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

# Most important symptoms and effects, both acute and delayed

#### Symptoms

No information available.

# Indication of any immediate medical attention and special treatment needed

Product Code 140.0000801 Page 2 / 8 AGHS - USA OSHA SDS Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

#### Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

#### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

# Section 6: ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

## **Personal precautions**

Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protective equipment as required.

#### For emergency responders

Use personal protection recommended in Section 8.

# Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

# Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

# Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

# Section 7: HANDLING AND STORAGE

# Precautions for safe handling

# Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapor in air and avoid vapor concentration higher than the occupational exposure limits. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapors are heavier than air and may spread along floors. Vapors may form explosive mixtures with air. Use only with adequate ventilation.

#### **General Hygiene Considerations**

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

# **Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

Product Code 140.0000801 Page 3/8 AGHS - USA OSHA SDS

#### Incompatible materials

Strong oxidizing agents.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## **Exposure Limits**

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

#### Appropriate engineering controls

# **Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### **Hand Protection**

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **Thermal Protection**

No information available

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance	liquid No information available
Odor	Slight
Color	white
Odor Threshold	No information available
pH value	No information available
Melting point/freezing point	No information available
Boiling point / boiling range	No information available °C / °F
flash point	96 °C / 205 °F
evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor Pressure	No information available
vapor density	No information available
Density (Ibs per US gallon)	10.66
specific gravity	1.28
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	No information available

Product Code 140.0000801 Page 4/8 AGHS - USA OSHA SDS

#### Decomposition temperature Kinematic viscosity Dynamic viscosity

No information available No information available No information available

### **Other information**

# Section 10: STABILITY AND REACTIVITY

No information available.
Stable under normal conditions.
None under normal processing.
None under normal processing.
Heat, flames and sparks.
Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

# Section 11: TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Eye contact Not applicable Skin Contact Not applicable Ingestion Not applicable Inhalation Not applicable

# Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			

Numerical measures of toxicity - Product Information

**UNKNOWN ACUTE TOXICITY** 0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

# **Carcinogenicity**

According to IARC, Volume 93, no significant exposure to primary particles of titanium dioxide is thought to occur from use in paints since the pigment is bound to other materials.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

<i>X</i> -	Present.	

Skin corrosion/irritation	Not applicable
Serious eye damage/eye irritation	Not applicable
Skin sensitization	Not applicable
Respiratory sensitization	Not applicable

Product Code 140.0000801 Page 5 / 8 AGHS - USA OSHA SDS

Germ cell mutagenicity Carcinogenicity Reproductive Toxicity Specific target organ toxicity (singl	Not applicable Not applicable Not applicable		
exposure) Specific target organ toxicity	Not applicable		
(repeated exposure) Aspiration hazard	Not applicable		
	Section 12: ECOLOGIC	AL INFORMATIO	N
Ecotoxicity Environmental precautions	Prevent product from entering	g drains.	
Persistence and degradability No information available			
Bioaccumulation No information available			
<u>Mobility</u> No information available			
Other adverse effects	No information available		
	Section 13: DISPOSAL	CONSIDERATION	IS
Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		gional, national and local laws and
Contaminated packaging	Improper disposal or reuse of containers must be scrapped		dangerous and illegal. Empty
	Section 14: TRANSPO	RT INFORMATION	١
DOT14.1 UN/ID noNot re14.2 Proper shipping name		DG_ t regulated	IATA Not regulated
<ul> <li>14.3 Hazard Class</li> <li>14.4 Packing Group</li> <li>14.5 Environmental hazard Not applicate</li> <li>14.6 Special Provisions</li> <li>14.7 Transport in bulk according to Analysis</li> </ul>		BC Code	No information available
	Section 15: REGULATO	RY INFORMATIO	N
International Inventories TSCA - United States Toxic Substance	es Control Act Section 8(b) Inv	entory	All components are listed or exempt
			from listing All components are listed or exempt from listing
US Federal Regulations			
SARA 311/312 Hazard Categories Acute health hazard Chronic Health Hazard Fire hazard	No No Product Code 1		

Product Code 140.0000801 Page 6 / 8 AGHS - USA OSHA SDS

No No

## US State Regulations

#### Rule 66 status of product

Not photochemically reactive.

#### **California Proposition 65**

WARNING! This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

# U.S. EPA Label information

EPA Pesticide registration number Not applicable

#### U.S. State Right-to-Know Regulations

Chemical Name
Water
7732-18-5
Proprietary Non-Hazardous Ingredient - Proprietary CAS
Titanium dioxide
13463-67-7
Proprietary Non-Hazardous Ingredient - Proprietary CAS
Proprietary Non-Hazardous Ingredient - Proprietary CAS
1,2-Propylene glycol
57-55-6

# **Section 16: OTHER INFORMATION**

HMIS_	
Health hazards	0
Flammability	1
Physical hazards	0
Personal Protection	Х

#### Supplier Address

Valspar Consumer	The Valspar Corporation	Valspar Plasti-Kote
Headquarters	4999 36th St.	1636 Shawsone Dr.
8725 W. Higgins Rd. Suite	Grand Rapids, MI 49512	Mississauga, Ontario L4W 1N7
1000	800-253-3957	905-671-8333
Chicago, IL 60631		
773-628-5500		

#### **Prepared By**

Product Stewardship

No information available

11-Jun-2015

Revision date	
Revision Note	
Disclaimer	

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Product Code 140.0000801

Product Code 140.0000801 Page 7 / 8 AGHS - USA OSHA SDS End of Safety Data Sheet

Product Code 140.0000801 Page 8/8 AGHS - USA OSHA SDS