

SAFETY DATA SHEET

1. Identification

Product identifier: M90065 7.25 OZ/CAN/0.453LB-0.205KG

Other means of identification

Synonyms: SILICONE SEALANT

Recommended use and restriction on use

Recommended use: Sealant

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials LLC
260 Hudson River Road
Waterford NY 12188

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number
Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Toxic to reproduction	Category 1B
Specific Target Organ Toxicity - Repeated Exposure	Category 1 ¹ .

Target Organs

1. Lung, Skin

Unknown toxicity - Health

Acute toxicity, oral	0 %
Acute toxicity, dermal	0 %

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Acute toxicity, inhalation, vapor	0 %
Acute toxicity, inhalation, dust or mist	0 %

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Causes skin irritation.
 Causes serious eye irritation.
 May cause an allergic skin reaction.
 May damage fertility or the unborn child.
 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statement

Prevention: Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust or mists. Do not eat, drink or smoke when using this product.

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

Substance(s) formed under the conditions of use: Reacts with water liberating small amounts of methanol.

M90065 7.25 OZ/CAN/0.453LB-0.205KG
3. Composition/information on ingredients
Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Distillates, petroleum, hydrotreated middle	64742-46-7	3 - 7%	# This substance has workplace exposure limit(s).
Hexamethyldisilazane	999-97-3	1 - 5%	No data available.
TITANIUM DIOXIDE	13463-67-7	1 - 5%	# This substance has workplace exposure limit(s).
DIBUTYL TIN BIS ACETYLACETONATE	22673-19-4	0.1 - 1%	# This substance has workplace exposure limit(s).

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Composition Comments: (1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

Skin Contact: To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: No data available.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Keep out of reach of children. Keep container tightly closed. Adequate ventilation should be provided so that exposure limits are not exceeded.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected.

Conditions for safe storage, including any incompatibilities: Keep out of reach of children. Store Aerosols as Level 2 Aerosol (NFPA 30B)

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source
Distillates, petroleum, hydrotreated middle - Inhalable fraction.	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values (03 2015)
Distillates, petroleum, hydrotreated middle - Mist.	REL	5 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	10 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	5 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
TITANIUM DIOXIDE	TWA	10 mg/m ³	US. ACGIH Threshold Limit Values (03 2015)
TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
DIBUTYL TIN BIS ACETYLACETONATE - as Sn	STEL	0.2 mg/m ³	US. ACGIH Threshold Limit Values (03 2015)
	TWA	0.1 mg/m ³	US. ACGIH Threshold Limit Values (03 2015)
	REL	0.1 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Appropriate Engineering Controls Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Cloth gloves.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: No data available.

9. Physical and chemical properties

Appearance

Physical state: solid

Form: Paste

Color: White

Odor: Ammonia.

Odor threshold: No data available.

pH: not applicable

Melting point/freezing point: not applicable

Initial boiling point and boiling range: not applicable

Flash Point: > 93.3 °C (estimated)

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Heat of combustion:	24.28 kJ/g (ASTM D5865-13)
Vapor pressure:	not applicable
Vapor density:	No data available.
Density:	No data available.
Relative density:	1.02
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	PARTIAL IN TOLUENE
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	27 g/l

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	No data available.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	Carbon dioxide Ammonia. Silicon dioxide. Reacts with water liberating small amounts of methanol. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix : 20,765.79 mg/kg

Specified substance(s):

SILOXANES AND LD 50 (Rat, No data available.): 5,000 mg/kg
SILICONES, DI-ME

Dermal

Product: ATEmix : 12,996.01 mg/kg

Inhalation

Product: ATEmix : 476.52 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

SILOXANES AND No data available. (Rabbit): No skin irritation
SILICONES, DI-ME

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

TITANIUM
DIOXIDE

Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Repeated Exposure: Lung, Skin

Aspiration Hazard

Product: No data available.

Other effects:

Contains dibutyltin compound(s) - May impair fertility. May cause harm to unborn child.

Ingestion:

No data available.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Oral
No data available.

Dermal
No data available.

Inhalation
No data available.

Repeated dose toxicity
No data available.

Skin Corrosion/Irritation
No data available.

Serious Eye Damage/Eye Irritation
No data available.

Respiratory or Skin Sensitization
No data available.

Carcinogenicity
No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:
No data available.

US. National Toxicology Program (NTP) Report on Carcinogens:
No data available.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):
No data available.

M90065 7.25 OZ/CAN/0.453LB-0.205KG**Germ Cell Mutagenicity
In vitro**

No data available.

**Germ Cell Mutagenicity
In vivo**

No data available.

Reproductive toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Target Organs**Aspiration Hazard**

No data available.

Other effects

No data available.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Specified substance(s):**SILOXANES AND
SILICONES, DI-ME LC0 (Leuciscus idus, 96 h): 200 mg/l**Aquatic Invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Specified substance(s):

SILOXANES AND LC0 (Leuciscus idus, 4 d): 200 mg/l
SILICONES, DI-ME

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

METHYLPOLYSILOXANE No data available.

SILOXANES AND No data available.

SILICONES, DI-ME
SILANE, No data available.

DICHLORODIMETHYL-,
REAKTION PRODUCTS
WITH SILICA, Silane,
dichlorodimethyl-, reaction
products with silica

Known or predicted distribution to environmental compartments

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Distillates, petroleum, hydrotreated middle	No data available.
Hexamethyldisilazane	No data available.
TITANIUM DIOXIDE	No data available.
DIBUTYL TIN BIS	No data available.
ACETYLACETONATE	

Other Adverse Effects: No data available.

13. Disposal considerations

Disposal instructions: Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number:	UN 1950
UN Proper Shipping Name:	LTD QTY - Aerosols
Transport Hazard Class(es)	
Class:	2.2
Label(s):	2.2
Packing Group:	—
Marine Pollutant:	No

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	LTD QTY - AEROSOLS
Transport Hazard Class(es)	
Class:	2.2
Label(s):	2.2
EmS No.:	F-D,
Packing Group:	—
Marine Pollutant:	No
Limited quantity	
Excepted quantity	E0

IATA

UN Number:	UN 1950
Proper Shipping Name:	LTD QTY - Aerosols, non-flammable
Transport Hazard Class(es):	
Class:	2.2
Label(s):	2.2
Packing Group:	—
Cargo aircraft only Packing	203
Instructions:	

M90065 7.25 OZ/CAN/0.453LB-0.205KG

Passenger and cargo aircraft	203
Packing Instructions:	
Limited quantity:	30.00KG
Packing Instructions:	Y203
Excepted quantity	E0
Environmental Hazards:	Not regulated.
Marine Pollutant:	No
Special precautions for user:	This product is considered hazardous for transportation. Momentive Performance Materials ships this material under Limited Quantity or Consumer Commodity provisions of the transport regulations.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards

Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Distillates, petroleum, hydrotreated middle	10000 lbs
Hexamethyldisilazane	10000 lbs
TITANIUM DIOXIDE	10000 lbs
DIBUTYL TIN BIS	10000 lbs
ACETYLACETONATE	

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

TITANIUM DIOXIDE	Carcinogenic.
10,10'-	
OXYBISPHENOXARSINE	
Methanol	Maximum Allowable Dose Level (MADL): 47000 µg/day. Developmental toxin.

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
METHYLPOLYSILOXANE
SILOXANES AND SILICONES, DI-ME
SILANE, DICHLORODIMETHYL-, REAKTION PRODUCTS WITH
SILICA, Silane, dichlorodimethyl-, reaction products with silica
Distillates, petroleum, hydrotreated middle
Hexamethyldisilazane

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u>
Distillates, petroleum, hydrotreated middle
10,10'-OXYBISPHENOXARSINE

US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u>
Distillates, petroleum, hydrotreated middle
TITANIUM DIOXIDE

M90065 7.25 OZ/CAN/0.453LB-0.205KG
US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.

16. Other information, including date of preparation or last revision
HMIS Hazard ID

Health	*	3
Flammability		1
Physical Hazards		0
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 08/24/2016
Revision Date: No data available.
Version #: 1.1
Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.