# MATERIAL SAFETY DATA SHEET

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Showsheen ® The Hair Polish & Detangler

PART NUMBER:

GENERAL USE: Grooming Aid

HAZARDOUS COMPONENTS

PRODUCT DESCRIPTION: White liquid, wintergreen odor.



| MANUFACTURER'S NAME                |         | DATE PREPARED: May 23, 2011      | Page 1 of 4 |  |  |  |
|------------------------------------|---------|----------------------------------|-------------|--|--|--|
| W. F. Young, Inc.                  |         | SUPERSEDES: October 12, 2008     | rage 1014   |  |  |  |
| ADDRESS (NUMBER, STREET, P.O. BOX) |         | TELEPHONE NUMBER FOR INFORMATION |             |  |  |  |
| 302 Benton Drive                   |         | (413) 526-9999                   |             |  |  |  |
| (CITY, STATE AND ZIP CODE)         | COUNTRY | EMERGENCY TELEPHONE NUMBER       |             |  |  |  |
| East Longmeadow, MA 01028          | USA     | (413) 526-9999                   |             |  |  |  |
| DISTRIBUTOR'S NAME                 |         |                                  |             |  |  |  |
| Same                               |         |                                  |             |  |  |  |
| ADDRESS (NUMBER, STREET, P.O. BOX) |         | TELEPHONE NUMBER FOR INFORMATION |             |  |  |  |
|                                    |         |                                  |             |  |  |  |
| (CITY, STATE AND ZIP CODE)         | COUNTRY | EMERGENCY TELEPHONE NUMBER       |             |  |  |  |
|                                    |         |                                  |             |  |  |  |

| SECTION 2 | - HAZA      | RDOUS INGRE | DIENTS   |        |                      |  |
|-----------|-------------|-------------|----------|--------|----------------------|--|
|           | %           | % CAS #     | EINECS # | Hazard | RISK PHRASES         |  |
|           | (by weight) |             | EINEGS # | Symbol | Full Text Section 16 |  |

No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.

## **SECTION 3 - HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

Mild liquid, prolonged contact may cause eye irritation. Ingestion may cause gastric distress. Hazard Symbols for this product - None. Risk Phrase - Not classified

#### POTENTIAL HEALTH EFFECTS

INHALATION: None expected, however, certain individuals may experience minor nausea or headaches.

SKIN: None expected, however, prolonged contact may cause irritation.

EYES: Contact with eyes may cause irritation.

INGESTION: May cause gastric distress, vomiting and diarrhea.

CARCINOGENICITY NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

### MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Showsheen® The Hair Polish & Detangler

May 23, 2011
Page 2 of 4

### SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

### SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

#### **EXTINGUISHING MEDIA**

Carbon dioxide, water, water fog, dry chemical, chemical foam.

#### FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

## UNUSUAL FIRE AND EXPLOSION HAZARDS

None

#### HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes or vapors, oxides of carbon, oxides of silicone.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills - wash to sanitary sewer with plenty of water. Large spills - soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water.

### SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures.

### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS

TWA ppm TWA mg/m3 STEL ppm STEL mg/m3 TWA ppm TWA mg/m3 STEL ppm STEL mg/m3

NIOSH

ACGIH

No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.

#### PERSONAL PROTECTION:

RESPIRATORY PROTECTION: None required; however, if misting occurs due to secondary operations such as mixing, spraying, sanding, buffing, etc, NIOSH approved respirator capable of removing particulate from air must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Recommended for general protection

EYE PROTECTION: Safety glasses recommended for general protection Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET PRODUCT NAME: Showsheen® The Hair Polish & Detangler Page 3 of 4 May 23, 2011 SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR VAPOR PRESSURE White liquid, wintergreen odor. 17 mm Hg @ 20° C рH SPECIFIC GRAVITY (WATER = 1) 1.000 5.6 **BOILING POINT / BOILING RANGE** SOLUBILITY IN WATER 212° F (100° C) **Emulsifies** FLASH POINT VISCOSITY Non-flammable Slightly more viscous than water FLAMMABLE LIMITS VAPOR DENSITY (AIR = 1) LEL: Not applicable UEL: Not applicable AUTOIGNITION TEMPERATURE EVAPORATION RATE (WATER = 1) Not determined < 1 SECTION 10 - STABILITY AND REACTIVITY STABILITY UNSTABLE: CONDITIONS TO AVOID: Extreme temperatures, keep from freezing. STABLE: X INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids. HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon and silicone, hydrocarbons, fumes or vapors, and smoke may be produced.

HAZARDOUS POLYMERIZATION MAY OCCUR: CONDITIONS TO AVOID: None

WILL NOT OCCUR:

#### SECTION 11 - TOXICOLOGICAL INFORMATION LD50 of Ingredient CAS# LC50 of Ingredient **Hazardous Components EINECS #** (Specify Species and Route) (Specify Species)

No hazardous materials present as defined by OSHA -29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.

### SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

### SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to 40 CFR 260 - 299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

### SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Non - Hazardous for Transport

DOT HAZARD CLASS / Packaging Group: Not regulated IATA HAZARD CLASS / Packaging Group: Not regulated

REFERENCE: Not Applicable IMDG HAZARD CLASS: Not regulated

RID / ADR Dangerous Goods Code: Not regulated UN / NA IDENTIFICATION NUMBER: None

UN TDG Class / Packaging Group: Not regulated LABEL: None Required

Hazard Identification Number (HIN): None

HAZARD SYMBOLS: None

Note: Transportation information provided is for reference only. Client is urged to consult 49 CFR 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping

| MATERIAL SAFETY DATA SHEET   |   |   |  |  |   |  |
|--|---|---|--|--|---|--|
| PRODUCT NAME: Showsheen® The Hair Polish & Detangler May 23, 2011  |   |   |  |  |   |  |
| TSCA (USA - Toxic Substance Control Act) All components of this product are listed on the from listing because a Low Volume or Polymer SARA TITLE III (USA - Superfund Amendments 311/312 Hazard Categories None   | Exemption has be  | nces Contre<br>en granted   | ol Act Che                               | emical Inventory (TSCA Inventory   | y) or are exempted                      |  |
| 313 Reportable Ingredients: None   |   |   |  |  |   |  |
| CERCLA (USA - Comprehensive Response Cor<br>None   | npensation and Lia  | bility Act)   |  |  |   |  |
| California Prop 65, Safe Drinking Water and Toxic There are no reportable chemicals present kno CPR (Canadian Controlled Products Regulations: This product has been classified in accordance information required by the Controlled Products IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS report DSL / NDSL (Canadian Domestic Substances Licent Components of this product identified by CAS report of the product | wn to the state of C s) with the hazard cr s Regulations. WH number and listed c ist / Non-Domestic | California to iteria of the MIS Classifon the Cana Substances   | Controlle ication: No dian Ingrass List) | d Products Regulations and the lot controlled edient Disclosure List are shown | in Section 2.                           |  |
| Substances Notification (NSN) regulations. On<br>EINECS (European Inventory of Existing Commo<br>Components of this product identified by CAS r<br>WGK Water Quality Index: nwg  | nly ingredients class<br>ercial Chemical Su<br>numbers are on the                                   | sified as "ha<br>bstances)  | azardous"<br>Inventory                   | are listed in Section 2 unless oth   | nerwise indicated.                      |  |
| RISK PHRASES:<br>None  | SYMBOL(S) REQUIRED FOR<br>LABEL<br>Not classified   |   | SAFET                                    | Y PHRASES:<br>void contact with eyes.  |   |  |
| Notes & full R-Phrase text   | TION 16 - OT<br>None  | HER IN  | IFORM                                    | MATION   |   |  |
| HMIS HAZARD RATINGS PERSON   | HEALTH FLAMMABILITY PHYSICAL HAZARD NAL PROTECTIVE EQUIPMEN   |   | 0<br>0<br>0<br>A                         | * = Chronic Health Hazard  0 = INSIGNIFICANT  1 = SLIGHT  Safety Glasses       | 2 = MODERATE<br>3 = HIGH<br>4 = EXTREME |  |
| REVISION SUMMARY: This MSDS has been revised in the following sections: No changes noted   |   | MSDS Prepared By: Comprehensive Data Base, Inc. P.O. Box 686 Seffner, FL 33583 USA (863) 644 - 3298 www.compdatabase.com or www.msds.cc |  |  |   |  |

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material is reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.