

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Use of the Substance/Mixture : Furniture Polish/Cleaner

Company : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Emergency telephone : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : opaque / aerosol / characteristic

Immediate Concerns

: Caution
Contents under pressure. Do not puncture or incinerate. Keep away from heat, sparks and flame. Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : May cause:
Mild eye irritation

Skin : None known.

Inhalation : None known.

Ingestion : Aspiration hazard if swallowed - can enter lungs and cause damage.

Aggravated Medical Condition : None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No. | Weight percent |
|---------------|---------|----------------|
|---------------|---------|----------------|

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

| | | |
|---------------------|------------|----------------|
| Water | 7732-18-5 | 60.00 - 100.00 |
| Alkanes, C7-10-iso- | 90622-56-3 | 5.00 - 10.00 |
| Dimethicone | 63148-62-9 | 5.00 - 10.00 |
| Butane | 106-97-8 | 1.00 - 5.00 |
| Propane | 74-98-6 | 1.00 - 5.00 |
| Isobutane | 75-28-5 | 1.00 - 5.00 |

4. FIRST AID MEASURES

- Eye contact : Rinse with plenty of water.
- Skin contact : Wash off with soap and water.
- Inhalation : Remove to fresh air. If breathing is affected, get medical attention.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician or Poison Control Centre immediately.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol foam, carbon dioxide, dry chemical, water fog
- Specific hazards during fire fighting : Aerosol Product - Containers may rocket or explode in heat of fire.
- Further information : Cool and use caution when approaching or handling fire-exposed containers. Fight fire from maximum distance or protected area. Wear full protective clothing and positive pressure self-contained breathing apparatus.
- Flash point : < 20 °F
Method: Tag Closed Cup (TCC)
Note: Propellant
- Lower explosion limit : Note: no data available
- Upper explosion limit : Note: no data available
- NFPA Classification : NFPA Level 1 Aerosol

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Remove all sources of ignition.
Material can create slippery conditions.
- Methods for cleaning up : Soak up with inert absorbent material.
Sweep up and shovel into suitable containers for disposal.
After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Do not puncture or incinerate.
Do not spray or use on floors as it could leave them slippery.

- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Storage

- Requirements for storage areas and containers : Keep in a dry, cool and well-ventilated place.
Do not freeze.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

| Components | CAS-No. | mg/m3 | ppm | Basis |
|------------|----------|-------------|-----------|-----------|
| Butane | 106-97-8 | - | 1,000 ppm | ACGIH TWA |
| Propane | 74-98-6 | - | 1,000 ppm | ACGIH TWA |
| Propane | 74-98-6 | 1,800 mg/m3 | 1,000 ppm | OSHA TWA |
| Isobutane | 75-28-5 | - | 1,000 ppm | ACGIH TWA |

Personal protective equipment

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

Respiratory protection

Industrial setting : No personal respiratory protective equipment normally required.

Household setting : No personal respiratory protective equipment normally required.

Hand protection

Industrial setting : not required under normal use

Household setting : not required under normal use

Eye protection

Industrial setting : No special requirements.

Household setting : No special requirements.

Hygiene measures : Use only with adequate ventilation. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : opaque

Odor : characteristic

pH : not applicable

Boiling point : no data available

Freezing point : not applicable

Flash point : < 20 °F
Method: Tag Closed Cup (TCC)
Propellant

Evaporation rate : no data available

Autoignition temperature : not applicable

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

| | | |
|--|---|-------------------------|
| Lower explosion limit | : | no data available |
| Upper explosion limit | : | no data available |
| Vapour pressure | : | no data available |
| Density | : | < 1.0 g/cm ³ |
| Water solubility | : | dispersible |
| Partition coefficient: n-octanol/water | : | no data available |

10. STABILITY AND REACTIVITY

| | | |
|----------------------------------|---|--|
| Conditions to avoid | : | Heat, flames and sparks. |
| Materials to avoid | : | Do not mix with oxidizing agents. |
| Hazardous decomposition products | : | Thermal decomposition can lead to release of irritating gases and vapours. |
| Hazardous reactions | : | Stable |

11. TOXICOLOGICAL INFORMATION

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 estimated > 5,000 mg/kg |
| Acute inhalation toxicity | : | LC50 estimated > 212 mg/l |
| Acute dermal toxicity | : | No adverse effects expected when used as directed. |
| Chronic effects | | |
| Carcinogenicity | : | no data available |
| Mutagenicity | : | no data available |
| Reproductive effects | : | no data available |

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

Teratogenicity : no data available

Sensitisation : Not known to be a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : no data available

13. DISPOSAL CONSIDERATIONS

Industrial setting : Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.

Household setting : Consumer may discard empty container in trash, or recycle where facilities exist.

RCRA waste class : D001 (Ignitable Waste)

SCJ product category : AF: Aerosol Flammable

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

UN-Number 1950
Proper shipping name Aerosols, flammable
Class: 2.1
Packaging group: None.

Note: SC Johnson ships this product as Consumer Commodity ORM-D (non-bulk packages)

Sea transport

IMDG:
Class: 2.1

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

Packaging group: None.
Proper shipping name: Aerosols, flammable
UN-Number: 1950

Note: SC Johnson ships this product as "Limited Quantity" when the container quantity value is 1 Liter or less.

Air transport

ICAO/IATA:

Class: 2.1
Packaging group: None.
Proper shipping name: Aerosols, flammable
UN/ID No.: UN 1950

Note: SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

Canada Regulations : This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

HMIS Ratings

| | |
|--------------|---|
| Health | 0 |
| Flammability | 4 |

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® FURNITURE POLISH - DUST & ALLERGEN - OUTDOOR FRESH®

Version 1.1

Print Date 10/23/2009

Revision Date 10/09/2009

MSDS Number 350000003606
SITE_FORM Number
30000000000000002946.001

| | |
|---------------------|---|
| Reactivity | 0 |
| NFPA Ratings | |
| Health | 0 |
| Fire | 4 |
| Reactivity | 0 |
| Special | |

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

| | |
|--------------|--|
| Prepared by: | SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA) |
|--------------|--|